






TCT SAW BLADE FOR CUTTING GRASS (割草片)




• TCT SAW BLADE FOR CUTTING GRASS		
Diameter(Inch)	Diameter(mm)	Teeth Number
9"	230	36T
9"	230	40T
10"	255	36T
10"	255	40T



• TCT SAW BLADE FOR CUTTING GRASS		
Diameter(Inch)	Diameter(mm)	Teeth Number
7"	180	2-8
8"	200	2-8
9"	230	2-8
10"	255	2-8



CONTINUOUS RIM SAW BLADE (湿片)




OUTER DIAMETER		ARBOR SIZE	SEGMENT DIMENSION
INCHES	METRIC(MM)		
2"	50	20	1.5 x 5
3"	80	20	1.6 x 5
4"	105	16/20/22.3	1.8 x 5/7/10
4.3"	110	16/20/22.3	1.9 x 5/7/10
4.5"	115	20/22.3	1.9 x 5/7/10
5"	125	20/22.3	1.9 x 5/7/10
6"	150	20/22.3	1.9 x 5/7/10
7"	180	22.3/25.4	2.2 x 5/7/10
8"	200	22.3/25.4	2.4 x 5/7/10
9"	230	22.3/25.4	2.6 x 5/7/10
10"	250	22.3/25.4	3.0 x 5/7/10
12"	300	20/22.3/25.4/50	3.2 x 7/10
14"	350	22.3/25.4/50	3.2 x 7/10



Wet



SEGMENTED SAW BLADE (干片)



OUTER DIAMETER		ARBOR SIZE	SEGMENT DIMENSION	SEGMENT NUMBER
INCHES	METRIC(MM)			
4"	105	16/20/22.3	35 x 1.8 x 7/10	8/9/16
4.3"	110	16/20/22.3	32 x 1.9 x 7/10	8/9/12/16
4.5"	115	20/22.3	38 x 2.0 x 7/10	8
5"	125	20/22.3	37 x 2.0 x 7/10	9
6"	150	20/22.3	34 x 2.0 x 7/10	12
7"	180	22.3/25.4	35 x 2.2 x 7/10	14
8"	200	22.3/25.4	39 x 2.4 x 7/10	14
9"	230	22.3/25.4	34 x 2.4 x 7/10	16/18
10"	250	22.3/25.4	37 x 3.0 x 7/10	18
12"	300	20/22.3/25.4/50	35 x 3.2 x 7/10	22
14"	350	22.3/25.4/50	40 x 3.2 x 7/10	24



Dry



TURBO SAW BLADE (波纹片)




OUTER DIAMETER		ARBOR SIZE	SEGMENT DIMENSION
INCHES	METRIC(MM)		
4"	105	16/20/22.3	2.0 x 8/10
4.3"	110	16/20/22.3	2.0 x 8/10
4.5"	115	20/22.3	2.2 x 8/10
5"	125	20/22.3	2.2 x 8/10
6"	150	20/22.3	2.4 x 8/10
7"	180	22.3/25.4	2.6 x 8/10
8"	200	22.3/25.4	2.6 x 8/10
9"	230	22.3/25.4	3.0 x 8/10
10"	250	22.3/25.4	3.1 x 8/10
12"	300	20/22.3/25.4/50	3.2 x 8/10
14"	350	22.3/25.4/50	3.2 x 8/10



Wet Dry



TURBO WAVE SAW BLADE (加强波纹片)




OUTER DIAMETER		ARBOR SIZE	SEGMENT DIMENSION
INCHES	METRIC(MM)		
4"	105	16/20/22.3	2.5 x 8
4.3"	110	16/20/22.3	2.5 x 8/10
4.5"	115	20/22.3	2.5 x 8/10
5"	125	20/22.3	2.5 x 8
6"	150	20/22.3	2.8 x 8
7"	180	22.3/25.4	2.8 x 8/10
9"	230	22.3/25.4	3.1 x 8/10
12"	300	20/22.3/25.4/50	3.6 x 8/10




Dry







BS-001




BS-002



BS-003




BS-004



BS-005



BS-006



BS-007




BS-008




BS-009



BS-010



BS-011



BS-012



BS-013



BS-014



BS-015



BS-016

SINTERED CONTINUOUS RIM TILE BLADE (烧结陶瓷片)




INCHES	SIZE
4"	105 x 1.2/0.8 x 10 x 22.23(22.23/20,22.23/16)
4.5"	115 x 1.2/0.8 x 10 x 22.23(22.23/20,22.23/16)
5"	125 x 1.2/0.8 x 10 x 22.23(22.23/20)
7"	180 x 1.6/1.2 x 10 x 22.23(22.23/20)
9"	230 x 1.6/1.2 x 10 x 22.23(22.23/20)



Wet



SUPER THIN TURBO TILE BLADE (超薄波纹陶瓷片)



INCHES	SIZE
4"	105 x 1.2/0.8 x 7 x 16(20/16,22.23/20)
4.5"	115 x 1.6/1.0 x 7 x 22.23(22.23/20,22.23/16)
5"	125 x 1.8/1.2 x 7 x 22.23(22.23/20)




Wet

Dry



SUPER THIN TURBO TILE BLADE (超薄波纹陶瓷片)



INCHES	SIZE
4"	105 x 0.8/1.2 x 10 x 22.23
4.5"	115 x 1.0/1.4 x 10 x 22.23
5"	125 x 1.0/1.4 x 10 x 22.23
6"	150 x 1.2/1.6 x 10 x 22.23
7"	180 x 1.2/1.6 x 10 x 22.23
8"	200 x 1.4/1.8 x 10 x 22.23
9"	230 x 1.6/2.0 x 10 x 22.23




Wet

Dry




LASER WELDED DIAMOND SAW BLADE (通用型激光片)



OUTER DIAMETER		ARBOR SIZE		SEGMENT DIMENSION	SEGMENT NUMBER
INCHES	METRIC(MM)	INCHES	METRIC(MM)		
4"	105	7/8"	22.23	32 x 2.0 x 8/10	8
4.5"	115	7/8"	22.23	32 x 2.0 x 8/10	9
5"	125	7/8"	22.23	32 x 2.2 x 8/10	10
6"	150	7/8"	22.23	33 x 2.2 x 8/10	12
7"	180	7/8"	22.23	36 x 2.4 x 8/10	13
8"	200	7/8"	22.23	40 x 2.4 x 8/10	13
9"	230	7/8"	22.23	38 x 2.6 x 8/10	16
10"	250	7/8"	22.23	38 x 2.6 x 8/10	18
12"	300	1"	25.4	40 x 3.0 x 8/10	20
14"	350	1"	25.4	40 x 3.2 x 8/10	24
16"	400	1"	25.4	40 x 3.4 x 8/10	28
18"	450	1"	25.4	40 x 3.6 x 8/10	32
20"	500	1"	25.4	40 x 3.6 x 8/10	35
24"	600	1"	25.4	40 x 4.2 x 8/10	42




LASER WELDED HAND/FLOOR SAW BLADE(混凝土片)



OUTER DIAMETER		ARBOR SIZE		SEGMENT DIMENSION	SEGMENT NUMBER
INCHES	METRIC(MM)	INCHES	METRIC(MM)		
4"	105	7/8"	22.23	32 x 2.0 x 8/10	8
4.5"	115	7/8"	22.23	32 x 2.0 x 8/10	9
5"	125	7/8"	22.23	32 x 2.2 x 8/10	10
6"	150	7/8"	22.23	33 x 2.2 x 8/10	12
7"	180	7/8"	22.23	36 x 2.4 x 8/10	13
8"	200	7/8"	22.23	40 x 2.4 x 8/10	13
9"	230	7/8"	22.23	38 x 2.6 x 8/10	16
10"	250	7/8"	22.23	38 x 2.6 x 8/10	18
12"	300	1"	25.4	40 x 3.0 x 8/10	20
14"	350	1"	25.4	40 x 3.2 x 8/10	24
16"	400	1"	25.4	40 x 3.4 x 8/10	28
18"	450	1"	25.4	40 x 3.6 x 8/10	32
20"	500	1"	25.4	40 x 3.6 x 8/10	35
24"	600	1"	25.4	40 x 4.2 x 8/10	42




ASPHALT BLADE (沥青片)



OUTER DIAMETER		ARBOR SIZE		SEGMENT DIMENSION	SEGMENT NUMBER
INCHES	METRIC(MM)	INCHES	METRIC(MM)		
4"	105	7/8"	22.23	32 x 2.0 x 8/10	8
4.5"	115	7/8"	22.23	32 x 2.0 x 8/10	9
5"	125	7/8"	22.23	32 x 2.2 x 8/10	10
6"	150	7/8"	22.23	33 x 2.2 x 8/10	12
7"	180	7/8"	22.23	36 x 2.4 x 8/10	13
8"	200	7/8"	22.23	40 x 2.4 x 8/10	13
9"	230	7/8"	22.23	38 x 2.6 x 8/10	16
10"	250	7/8"	22.23	38 x 2.6 x 8/10	18
12"	300	1"	25.4	40 x 3.0 x 8/10	18
14"	350	1"	25.4	40 x 3.2 x 8/10	21
16"	400	1"	25.4	40 x 3.4 x 8/10	24
18"	450	1"	25.4	40 x 3.6 x 8/10	28
20"	500	1"	25.4	40 x 3.6 x 8/10	30
24"	600	1"	25.4	40 x 4.2 x 8/10	36




DIAMOND SAW BLADE FOR CERAMIC (瓷砖片)



DIAMETER	INSIDE	BASIC THICKNESS	BIT THICKNESS	TEETH
200	25-60	1.4-1.6	1.8-2.0	14
250	25-60	1.4-1.6	1.8-2.0	18
300	25-60	1.6-1.8	2.0-2.4	23
350	25-60	1.8-2.2	2.2-2.6	28



MARBLE SAW BLADE (大理石片)




INCHES	DIAMETER	SEGMENT DIMENSION
10"	250	38 x 2.8 x 8/10
12"	300	40 x 2.8 x 8/10
14"	350	40 x 3.0 x 8/10
16"	400	40 x 3.2 x 8/10
18"	450	40 x 3.4 x 8/10
20"	500	40 x 3.6 x 8/10
22"	550	40 x 3.6 x 8/10
24"	600	40 x 3.8 x 8/10
28"	700	40 x 4.0 x 8/10
32"	800	40 x 4.0 x 8/10



Wet



SILENT BRICK & BLOCK SAW BLADES (消音片)



OUTER DIAMETER		ARBOR SIZE		SEGMENT DIMENSION	SEGMENT NUMBER
INCHES	METRIC(MM)	INCHES	METRIC(MM)		
12"	300	1"	25.4	40 x 3.0 x 8/10	20
14"	350	1"	25.4	40 x 3.2 x 8/10	24
16"	400	1"	25.4	40 x 3.4 x 8/10	28
18"	450	1"	25.4	40 x 3.6 x 8/10	32
20"	500	1"	25.4	40 x 3.6 x 8/10	35
24"	600	1"	25.4	40 x 4.2 x 8/10	42



SINGLE ROW CUP GRINDING WHEEL (单排磨轮)



OUTER DIAMETER		ARBOR SIZE		SEGMENT DIMENSION	SEGMENT NUMBER
INCHES	METRIC(MM)	INCHES	METRIC(MM)		
4"	100	7/8"	22.23	30 x 5	8
4.125"	105	7/8"	22.23	31 x 5	8
4.3"	110	7/8"	22.23	32 x 5	8
4.5"	115	7/8"	22.23	30 x 5	9
5"	125	7/8"	22.23	30 x 5	10
6"	150	7/8"	22.23	30 x 5	12
7"	180	7/8"	22.23	30 x 5	13
9"	230	7/8"	22.23	32 x 5	18




DOUBLE ROW CUP GRINDING WHEEL (双排磨轮)



OUTER DIAMETER		ARBOR SIZE		SEGMENT DIMENSION	SEGMENT NUMBER
INCHES	METRIC(MM)	INCHES	METRIC(MM)		
4"	100	7/8"	22.23	30 x 5	12
4.125"	105	7/8"	22.23	31 x 5	12
4.3"	110	7/8"	22.23	32 x 5	12
4.5"	115	7/8"	22.23	30 x 5	18
5"	125	7/8"	22.23	30 x 5	20
6"	150	7/8"	22.23	30 x 5	24
7"	180	7/8"	22.23	30 x 5	26
9"	230	7/8"	22.23	32 x 5	36



SEGMENTED GURBO CUP GRINDING WHEEL (斜齿磨轮)



OUTER DIAMETER		ARBOR SIZE		SEGMENT DIMENSION	SEGMENT NUMBER
INCHES	METRIC(MM)	INCHES	METRIC(MM)		
4.125"	105	7/8"	22.23	24 x 7 x 5	10/13
4.5"	115	7/8"	22.23	25 x 7 x 5	9/18
5"	125	7/8"	22.23	25 x 7 x 5	9/18
6"	150	7/8"	22.23	25 x 8 x 5	10/20
7"	180	7/8"	22.23	25 x 8 x 5	12/18/24
9"	230	7/8"	22.23	29 x 8 x 5	18/24/32



CONTINUOUS TURBO CUT GRINDING WHEEL (波纹磨轮)



OUTER DIAMETER		ARBOR SIZE		SEGMENT NUMBER
INCHES	METRIC(MM)	INCHES	METRIC(MM)	
4"	100	7/8"	22.23	100 x 20 x 5
4.125"	105	7/8"	22.23	105 x 20 x 5
4.5"	115	7/8"	22.23	115 x 20 x 5
5"	125	7/8"	22.23	125 x 20 x 5
6"	150	7/8"	22.23	150 x 20 x 5
7.1"	180	7/8"	22.23	180 x 20 x 5



ALUMINIUM CUP GRINDING WHEEL (铝基磨轮)



OUTER DIAMETER		ARBOR SIZE		SEGMENT NUMBER
INCHES	METRIC(MM)	INCHES	METRIC(MM)	
4.5"	115	7/8"	22.23	115 x 20 x 5
5"	125	7/8"	22.23	125 x 20 x 5



FLOOR GRINDING HEAD (地板磨轮)



OUTER DIAMETER		ARBOR SIZE		SEGMENT DIMENSION	SEGMENT NUMBER
INCHES	METRIC(MM)	INCHES	METRIC(MM)		
10"	250	1"	25.4	40 x 10 x 10	10
10"	250	1"	25.4	40 x 10 x 10	16
10"	250	1"	25.4	40 x 10 x 10	20



SINTERED CONTINUOUS CUP GRINDING WHEEL (烧结连边磨轮)




OUTER DIAMETER		ARBOR SIZE		SEGMENT DIMENSION
INCHES	METRIC(MM)	INCHES	METRIC(MM)	
3.27"	80	7/8"	20	80 x 10 x 5



Wet



SINTERED TURBO CUP GRINDING WHEEL (烧结波纹磨轮)




OUTER DIAMETER		ARBOR SIZE		SEGMENT NUMBER
INCHES	METRIC(MM)	INCHES	METRIC(MM)	
3.27"	80	7/8"	20	80 x 10 x 5



Wet




DIAMOND GRINDING PLATES (磨块)




BS-017



BS-018



BS-019



BS-020

HAND-HELD ANGLE GRINDER CUP WHEEL



BS-021



BS-022



BS-023



BS-024



BS-025



BS-026



BS-027




BS-028



BS-029


TUCK POINT BLADE (开槽片)



OUTER DIAMETER		ARBOR SIZE		SEGMENT DIMENSION	SEGMENT NUMBER
INCHES	METRIC(MM)	INCHES	METRIC(MM)		
4"	105	7/8"	22.23	32 x 6.0 x 8/10	8
4.5"	115	7/8"	22.23	34x 6.0 x 8/10	8
5"	125	7/8"	22.23	34x 6.0 x 8/10	9
6"	150	7/8"	22.23	32x 6.0 x 8/10	12
7"	180	7/8"	22.23	34x 6.0 x 8/10	14
8"	200	7/8"	22.23	38x 6.4 x 8/10	16
9"	230	7/8"	22.23	38x 6.4 x 8/10	18



CRACK CHASER (尖型开槽片)



OUTER DIAMETER		ARBOR SIZE		SEGMENT DIMENSION	SEGMENT NUMBER
INCHES	METRIC(MM)	INCHES	METRIC(MM)		
4"	105	7/8"	22.23	32 x 6.0 x 8/10	8
4.5"	115	7/8"	22.23	34x 6.0 x 8/10	8
5"	125	7/8"	22.23	34x 6.0 x 8/10	9
6"	150	7/8"	22.23	32x 6.0 x 8/10	12
7"	180	7/8"	22.23	34x 6.0 x 8/10	14
8"	200	7/8"	22.23	38x 6.4 x 8/10	16
9"	230	7/8"	22.23	38x 6.4 x 8/10	18



SAMDWICH SAW BLADE (三明治开槽片)



OUTER DIAMETER		ARBOR SIZE		SEGMENT DIMENSION	SEGMENT NUMBER
INCHES	METRIC(MM)	INCHES	METRIC(MM)		
4"	105	7/8"	22.23	35 x 5 x 7/10	8/9/16
4.5"	115	7/8"	22.23	38 x 5.4 x 7/10	8
5"	125	7/8"	22.23	37 x 5.4 x 7/10	9
6"	150	7/8"	22.23	34 x 5.4 x 7/10	12
7"	180	7/8"	22.23	35 x 5.4 x 7/10	14
8"	200	7/8"	22.23	39 x 6.2 x 7/10	14
9"	230	7/8"	22.23	34 x 6.2 x 7.2/10	16/18



Wet



TURBO CRACK CHASER BLADE (波纹开槽片)



OUTER DIAMETER		ARBOR SIZE		SEGMENT DIMENSION
INCHES	METRIC(MM)	INCHES	METRIC(MM)	
4"	105	7/8"	22.23	13 x 11
4.5"	115	7/8"	22.23	13 x 11
5"	125	7/8"	22.23	13 x 11
7"	180	7/8"	22.23	13 x 11



Wet



DIAMOND CORE BITS (金刚石打孔钻)



OUTER DIAMETER		ARBOR SIZE		SEGMENT DIMENSION	SEGMENT NUMBER
INCHES	METRIC(MM)	INCHES	METRIC(MM)		
0.87"	22	13.78"	350	10 x 3 x 8/10	3
1.10"	28	13.78"	350	15 x 3 x 8/10	3
1.26"	32	6.69"	170	15 x 3 x 8/10	3
1.5"	38	6.69"	170	15 x 3/3.5 x 8/10	4
1.89"	48	6.69"	170	24 x 3/3.5 x 8/10	4
2.05"	52	6.69"	170	24 x 3/3.5 x 8/10	4
2.56"	65	6.69"	170	24 x 3/3.5 x 8/10	4
3.07"	78	6.69"	170	24 x 3/3.5 x 8/10	5
3.58"	91	6.69"	170	24 x 3/3.5 x 8/10	5
4.21"	107	6.69"	170	24 x 3/3.5 x 8/10	6
4.61"	117	6.69"	170	24 x 3/3.5 x 8/10	6
5"	127	6.69"	170	24 x 3/3.5 x 8/10	8
5.98"	152	6.69"	170	24 x 3/3.5 x 8/10	10
6.38"	162	6.69"	170	24 x 3/3.5 x 8/10	14



Wet Dry



DIAMOND CORE BIT BOX SET (孔钻套装)

Comprising:
3-pc Core Bits
In the following diameters
27mm, 52mm, 117mm

4 Accessories
Hex Extension(200mm)
SDS Extension(200mm)
Pilot Drill Drift Key



Comprising:
3-pc Core Bits
In the following diameters
38mm, 52mm, 117mm


4 Accessories
Hex Extension(200mm)
SDS Extension(200mm)
Pilot Drill Drift Key

Comprising:
5-pc Core Bits
In the following diameters
38mm, 52mm, 65mm, 117mm, 127mm


6 Accessories
Hex Adaptor SDS Adaptor
Hex Extension SDS Extension
Pilot Drill Drift Key



Dust Switch




DIAMOND CORE BITS (金刚石打孔钻)



DRY FLEXIBLE POLISHING PAD								
ITEM NUMBER	DIAMETER		THICKNESS	CRIT				
	INCHES	METRIC(MM)						
DP-80	3"	80	2.2mm/3.0mm	50#	100#			
DP-100	4"	100		200#	400#			
DP-125	5"	125		800#	1500#			
				3000#	5000#			
				Buff				


GRIT	50	100	200	400	800	1500	3000	BUFF
COLOR								

DIAMOND POLISHING PADS' BACKER (软磨片接头)



RIGID BACKER			
ITEM NUMBER	DIAMETER		CRIT
	INCHES	METRIC(MM)	
RB-80	3"	80	M14/M16
RB-100	4"	100	
RB-125	5"	125	

CUTTING/GRINDING DISC (树脂片)




CUTTING DISC
SPECIFICATIONS
100 x 3.0 x 15.88mm
115 x 3.0 x 22.23mm
125 x 3.0 x 22.23mm
150 x 3.0 x 22.23mm
180 x 3.0 x 22.23mm
230 x 3.0 x 22.23mm
305 x 3.0 x 25.4mm
355 x 3.0 x 25.4mm
405 x 3.0 x 25.4mm

GRINDING DISC
SPECIFICATIONS
100 x 3.0/6.0 x 15.88mm
115 x 3.0/6.0 x 22.23mm
125 x 3.0/6.0 x 22.23mm
150 x 3.0/6.0 x 22.23mm
180 x 3.0/6.0 x 22.23mm
230 x 3.0/6.0 x 22.23mm




ULTRATHIN CUTTING DISC
SPECIFICATIONS
100 x 1.0 x 15.88mm
115 x 1.2 x 22.23mm
125 x 1.2 x 22.23mm
150 x 1.5 x 22.23mm
180 x 1.5 x 22.23mm
230 x 2.0 x 22.23mm




T.C.T. SAW BLADE FOR WOOD CUTTING (原木用合金片)




• T.C.T. Saw Blade for Wood Cutting		
Diameter(Inch)	Diameter(mm)	Teeth Number
4"	110	12~40
6"	150	20~40
7"	180	24~40
7.5"	185	24~40
8"	200	40~60
10"	250	40~80
12"	305	40~80
14"	355	40~80
16"	405	40~160
18"	455	60~160
20"	505	60~160
22"	550	60~160
24"	600	60~160
26"	650	60~160
29.5"	700	40~160



Soft wood




Hard wood



Chipboard




Bilaminated






Plywood


T.C.T. SAW BLADE FOR PLYWOOD AND LAMINATED BOARD (细木工板用合金片)






• T.C.T. Saw Blade for Plywood and Laminated Board		
Diameter(Inch)	Diameter(mm)	Teeth Number
4"	110	40
5"	125	40
6"	150	60
8"	200	60~80
10"	250	60~100
12"	305	60~120
14"	355	72~120
16"	405	84~120




T.C.T. SAW BLADE FOR ALUMINUM AND PLASTIC (铝合金/塑料用合金片)





• T.C.T. Saw Blade for Aluminum and Plastic		
Diameter(Inch)	Diameter(mm)	Teeth Number
4"	110	40
5"	125	40
6"	150	60
8"	200	60~80
10"	250	60~100
12"	305	80~120
14"	355	96~120
16"	405	100~120
18"	455	100~120
20"	500	100~140
22"	550	120~140
24"	610	120~160
26"	660	120~180




T.C.T. SAW BLADE FOR METAL CUTTING (切铁用合金片)



• T.C.T. Saw Blade for Metal Cutting		
Diameter(Inch)	Diameter(mm)	Teeth Number
4"	100	24
4.5"	115	24~40
5"	125	24~40
6.5"	160	28~40
7.5"	190	36~48
8.5"	210	48~60
10"	250	60~80
12"	305	72~96
14"	355	84~108
16"	405	84~120



HSS SAW BLADE FOR WOOD CUTTING (原木用高速钢锯片)



• HSS Saw Blade for Wood Cutting		
Diameter(Inch)	Diameter(mm)	Teeth Number
4"	100	24~40
5"	125	24~40
6"	150	24~60
7"	180	36~80
8"	200	40~90
10"	250	50~100
12"	300	60~100
14"	350	72~120
16"	400	72~140
18"	450	72~140
20"	500	72~140
22"	550	80~160
24"	600	80~160
26"	650	80~160
28"	700	100~200

