

For High Speed Industrial Angle Grindees

CRIMPED WIRE CUP BRUSHES

Flexible brushing action is excellent in wide,flat and/or irregular surfaces



Superior
Quality



Durable
Wear-resistant



Technical Data

ITEM NO	D (mm)	T (mm)	B (mm)	FILL	TYPE	MEAS (cm)	QTY (pc)	RPM
99565	Φ65	24	M10×1.25/M10×1.5 M14×2/Φ16	0.30	0.20	52x34x21.5	60	12500
99575	Φ75	27	M10×1.25/M10×1.5 M14×2/Φ16	0.30	0.20	52x34x21.5	60	12500
99585	Φ85	27	M10×1.25/M10×1.5 M14×2/M16X2 5/8"-11NC	0.30	0.20	52x34x21.5	60	8500
995100	Φ100	30	M14×2/M16X2 5/8"-11NC	0.30	0.20	55x23x32.5	40	8500
995125	Φ125	32	M14×2/M16X2 5/8"-11NC	0.30	0.20	56x28x29.5	24	6500
995150	Φ150	33	M14×2/M16X2 5/8"-11NC	0.30	0.20	56x28x29.5	24	4500

TWISTED KNOT BOWL CUP BRUSHES

Heavy duty cleaning of large metal surfaces

Auto body pre-finishing and repair

Rust and paint removal

Surface preparation for paint or welding

Removal of weld scale and corrosion



Superior
Quality



Durable
Wear-resistant



Technical Data

ITEM NO	D (mm)	T (mm)	B (mm)	FILL	TYPE	MEAS (cm)	QTY (pc)	RPM
99765	Φ65	24	M10×1.25/M10×1.5 M14×2/Φ8/Φ16/Φ22	0.35	0.50/0.80	42x34x21.5	60	12500
99775	Φ75	27	M10×1.25/M10×1.5 M14×2/Φ8/Φ16/Φ22	0.35	0.50/0.80	42x34x21.5	60	12500
99785	Φ85	27	M10×1.25/M10×1.5 M14×2/M16X2 5/8"-11NC	0.35	0.50/0.80	42x34x21.5	60	8500
997100	Φ100	29	M14×2/M16X2 5/8"-11NC	0.35	0.50/0.80	55x33x23.5	40	8500
997125	Φ125	29	M14×2/M16X2 5/8"-11NC	0.35	0.50/0.80	52x27x26.5	24	6500
997150	Φ150	29	M14×2/M16X2 5/8"-11NC	0.35	0.50/0.80	63x32x30	24	4500


Knotted For High Speed Angle Grinders

CUP BRUSHES,KNOTTED WITH TEMPERED STEEL WIRE,

- Heavy duty cleaning of large metal surfaces
- Rust and paint removal
- Removal of weld scale and corrosion
- Auto body pre-finishing and repair
- Surface preparation for painting or welding

 Superior Quality

 Durable Wear-resistant



Technical Data


ITEM NO	D (mm)	T (mm)	B (mm)	FILL	TYPE	MEAS (cm)	QTY (pc)	RPM
881-65	Φ65	20	M10×1.25/M10×1.5 M14×2/Φ16	0.35	0.50/0.80	42x34x16.5	40	12500
881-75	Φ75	21	M10×1.25/M10×1.5 M14×2/Φ16	0.35	0.50/0.80	41x33x15	40	8500
881-90	Φ90	22	M10×1.25/M10×1.5 M14×2/M16X2 5/8"-11NC	0.35	0.50/0.80	42x32x28	36	8500
881-100	Φ100	22	M14×2/M16X2 5/8"-11NC	0.35	0.50/0.80	51x41x17	36	8500
881-125	Φ125	23	M14×2/M16X2 5/8"-11NC	0.35	0.50/0.80	39x39x26	27	6500

SINGLE SECTION BRUSHES STANDARD TWIST

- The ideal shape for hard-to-reach areas brushing
- Removing excess rubber from rubber to metal bonded parts
- Multi-purpose brushes for light and medium cleaning jobs
- Removing residues of adhesive, hard scale rust and paint cleaning welds

 Superior Quality

 Durable Wear-resistant



Technical Data


ITEM NO	D (mm)	T (mm)	B (mm)	FILL	TYPE	MEAS (cm)	QTY (pc)	RPM
998100-A	Φ100	12	Φ16	0.35	0.50/0.80	44x23x26	80	8500
998125-A	Φ125	13	Φ16/Φ22.2	0.35	0.50/0.80	41.5x27x28	60	8500
998150-A	Φ150	13	Φ16/Φ22.2/Φ25.4	0.35	0.50/0.80	33x32x27	40	8500
998175-A	Φ175	14	Φ22.2/Φ25.4	0.35	0.50/0.80	38x18x28	20	8500
998200-A	Φ200	15	Φ22.2/Φ25.4	0.35	0.50/0.80	42x21x28	20	8000
998250-A	Φ250	15	Φ22.2/Φ25.4	0.35	0.50/0.80	27x27x36	10	4500
998300-A	Φ300	15	Φ22.2/Φ25.4	0.35	0.50/0.80	31x31x28	10	4500

SINGLE SECTION BRUSHES STRINGER BEED

- Heavy-duty cleaning of large metal surfaces
- Rust and paint removal
- Weld scale and corrosion removal
- Cleaning ships, steel tanks, etc.
- Cleaning prior to welding

 Superior Quality

 Durable Wear-resistant



Technical Data


ITEM NO	D (mm)	T (mm)	B (mm)	FILL	TYPE	MEAS (cm)	QTY (pc)	RPM
998100-B	Φ100	12	Φ16/M10x1.25/M10x1.5/M14x2/5/8"-11NC	0.35	0.50/0.80	44x23x26	80	8500
998125-B	Φ125	13	Φ16/Φ22.2/M10x1.25/M10x1.5/M14x2/5/8"-11NC	0.35	0.50/0.80	41.5x27x28	60	8500
998150-B	Φ150	13	Φ16/Φ22.2/Φ25.4/M10x1.25/M10x1.5/M14x2/5/8"-11NC	0.35	0.50/0.80	33x32x27	40	8500
998175-B	Φ175	14	Φ22.2/Φ25.4/M10x1.25/M10x1.5/M14x2/5/8"-11NC	0.35	0.50/0.80	38x18x28	20	8500
998200-B	Φ200	15	Φ22.2/Φ25.4/M10x1.25/M10x1.5/M14x2/5/8"-11NC	0.35	0.50/0.80	42x21x28	20	8000
998250-B	Φ250	15	Φ22.2/Φ25.4/M10x1.25/M10x1.5/M14x2/5/8"-11NC	0.35	0.50/0.80	27x27x36	10	4500
998300-B	Φ300	15	Φ22.2/Φ25.4/M10x1.25/M10x1.5/M14x2/5/8"-11NC	0.35	0.50/0.80	31x31x28	10	4500

WIRE WHEEL BRUSHES WITH HOLE

- Single brushes for multi-purpose, economic use
- Mounted singly or in multiples on a drive arbor or directly onto a portable tool
- Rust and pain removal, deburring, descaling, matt finishing and polishing

 Superior Quality

 Durable Wear-resistant




Technical Data

ITEM NO	D (mm)	T (mm)	B (mm)	FILL	TYPE	MEAS (cm)	QTY (pc)	RPM
99375	Φ75	15	13-16	0.20	0.30	34x33x48	300	4500
993100	Φ100	23	13-16	0.20	0.30	29x23x25	100	4500
993125	Φ125	28	13-16	0.20	0.30	29x28x29.5	40	4500
993150	Φ150	33	13-16	0.20	0.30	33x29x33.5	40	4500
993175	Φ175	45	13-16	0.20	0.30	38x20x27.5	20	3750
993200	Φ200	45	13-16	0.20	0.30	43x22x27.5	20	3750

CIRCULAR BRUSHES-CRIMPED WIRE

The all-round brush for medium to heavy brush applications
Added choice of adapters to fit most popular spindle diameters
Rust and paint removal, deburring descaling matt finishing and polishing

-  Superior Quality
-  Durable Wear-resistant




Technical Data

ITEM NO	D (mm)	A (mm)	T (mm)	B (mm)	FILL	TYPE	MEAS (cm)	QTY (pc)	RPM
99675	Φ75	10	15	13-16	0.20	0.30	41x33x16	120	8500
996100	Φ100	16	17	13-16	0.20	0.30	44x23x31	80	8500
996125	Φ125	18	27	13-16	0.20	0.30	41.5x27x31.5	60	6500
996150	Φ150	20	28	13-16-19-22-25-32-50	0.20	0.30	34x34x37.5	40	6500
996175	Φ175	20	37	13-16-19-22-25-32-50	0.20	0.30	38x18x35	20	6500
996200	Φ200	20	37	13-16-19-22-25-32-50	0.20	0.30	42x21x35	20	6000
996250	Φ250	20	47	13-16-19-22-25-32-50	0.20	0.30	26x26x35	10	4500
996300	Φ300	25	60	13-16-19-22-25-32-50	0.20	0.30	31x31x35	10	4500

For Single Handed Angle Grinders

BEVEL BRUSHES

-  Superior Quality
-  Durable Wear-resistant



Technical Data

ITEM NO	D (mm)	T (mm)	B (mm)	FILL	TYPE	MEAS (cm)	QTY (pc)	RPM
99190	Φ90	13	M10×1.25/M10×1.5/M14×2/Φ16	0.20	0.30	43x22x41	80	12500
991100	Φ100	13	M10×1.25/M10×1.5/M14×2/Φ16	0.20	0.30	43x22x41	80	12500
991115	Φ115	20	M10×1.25/M10×1.5/M14×2/Φ16	0.20	0.30	48x37x32	60	12500
991125	Φ125	20	M10×1.25/M10×1.5/M14×2/Φ16	0.20	0.30	41x27x36	60	6500

For Single Handed Angle Grinders

TWISTED WIRE DISH WHEEL BRUSHES

-  Superior Quality
-  Durable Wear-resistant



Technical Data

ITEM NO	D (mm)	T (mm)	B (mm)	FILL	TYPE	MEAS (cm)	QTY (pc)	RPM
882-90	Φ90	13	M10×1.25/M10×1.5/M14×2/Φ16	0.35	0.50	43x22x41	80	12500
882-100	Φ100	20	M10×1.25/M10×1.5/M14×2/Φ16	0.35	0.50	42x22x43.5	80	12500
882-115	Φ115	25	M10X1.25/M10X1.5/5/8"-11NC/M14X2/Φ16	0.35	0.50	41x26x26	40	10000
882-125	Φ125	20	M10X1.25/M10X1.5/5/8"-11NC/M14X2/Φ16	0.35	0.50	49X27X27	40	6500

END BRUSHES

Carbon removal Mold and die polishing and cleaning Removing rust and paint Weld cleaning
Cleaning and finishing recessed areas I.D. Pipe cleaning Spot facing Removing rubber or plastic flash Automotive body repairs



Technical Data

ITEM NO	D (mm)	T (mm)	W (mm)	FILL	TYPE	MEAS (cm)	QTY (pc)	RPM
99012	Φ12	20	1/4"/6mm	0.20	0.30	39x29x28	300	4500
99017	Φ17	22	1/4"/6mm	0.20	0.30	39x29x28	300	4500
99025	Φ25	25	1/4"/6mm	0.20	0.30	39x29x28	200	4500
99030	Φ30	28	1/4"/6mm	0.20	0.30	39x29x28	200	4500

For Use On Drills And High Speed Electric Tools

WHEEL BRUSHES WITH SHANK

Most suitable for use on hard to reach areas, internal surfaces and grooves
Removal of rust, paint, scale and primer and generally to produce clean surface



Technical Data

ITEM NO	D (mm)	T (mm)	W (mm)	FILL	TYPE	MEAS (cm)	QTY (pc)	RPM
99225	Φ25	10	1/4"/6mm	0.20	0.30	40x33x34	216	4500
99238	Φ38	10	1/4"/6mm	0.20	0.30	40x33x34	216	4500
99250	Φ50	10	1/4"/6mm	0.20	0.30	40x33x34	216	4500
99265	Φ65	13	1/4"/6mm	0.20	0.30	33x30x30	120	4500
99275	Φ75	16	1/4"/6mm	0.20	0.30	33x30x30	120	4500
992100	Φ100	22	1/4"/6mm	0.20	0.30	41x31x52	120	4500

CUP BRUSHES WITH SHANK

Paint, rust, scale, incrustations and burrs removal
Cleaning and finishing received areas


Weld cleaning
Good results on nearly all materials



Superior
Quality



Durable
Wear-resistant



Technical Data

ITEM NO	D (mm)	T (mm)	W (mm)	FILL	TYPE	MEAS (cm)	QTY (pc)	RPM
99430	Φ30	15	1/4"/6mm	0.20	0.30	40x31x42	180	4500
99438	Φ38	15	1/4"/6mm	0.20	0.30	40x31x42	180	4500
99450	Φ50	17	1/4"/6mm	0.20	0.30	40x31x42	180	4500
99465	Φ65	20	1/4"/6mm	0.20	0.30	50x29x39	120	4500
99475	Φ75	20	1/4"/6mm	0.20	0.30	50x29x39	120	4500
99485	Φ85	20	1/4"/6mm	0.20	0.30	41x31x52	60	4500

TWISTED KNOT END BRUSHES

Removal of paint , rust and primer
Such as edges and corners

Cleaning of moulds and casting and working on weld seams in hard-to-reach places



Superior
Quality



Durable
Wear-resistant



Technical Data

ITEM NO	D (mm)	T (mm)	W (mm)	FILL	TYPE	MEAS (cm)	QTY (pc)	RPM
999-12	Φ12	20	1/4"/6mm	0.35	0.50	39x29x28	300	20000
999-17	Φ17	22	1/4"/6mm	0.35	0.50	39x29x28	300	20000
999-19	Φ19	23	1/4"/6mm	0.35	0.50	39x29x28	300	20000
999-25	Φ25	25	1/4"/6mm	0.35	0.50	39x29x28	200	20000
999-30	Φ30	28	1/4"/6mm	0.35	0.50	39x29x28	200	20000


Twisted Wire

SHANK-MOUNTED CIRCULAR BRUSHES

For the derusting and cleaning of metal and stone

For the preparation for brazing and welding work

-  Superior Quality
-  Durable Wear-resistant



Technical Data


ITEM NO	D (mm)	T (mm)	W (mm)	FILL	TYPE	MEAS (cm)	QTY (pc)	RPM
885-75	Φ75	15	1/4"/6mm	0.35	0.50/0.80	33x30x30	120	12500
885-100	Φ100	27.5	1/4"/6mm	0.35	0.50/0.80	41x31x52	120	12500

SHANK-MOUNTED CUP BRUSHES-TWISTED WIRE

Removal of tough compounds (e.g. underseal)sealing compound and stubborn adhesive residues

Working on weld seams and spot-welds

-  Superior Quality
-  Durable Wear-resistant



Technical Data

ITEM NO	D (mm)	T (mm)	W (mm)	FILL	TYPE	MEAS (cm)	QTY (pc)	RPM
884-65	Φ65	17	1/4"/6mm	0.35/0.50	0.80	50x30x39	120	12500
884-75	Φ65	20	1/4"/6mm	0.35/0.50	0.80	50x30x39	120	12500

MINI BRUSHES

Fill type

Brass wire, crimped

Brass plated steel wire, crimped

Steel wire, natural hard, crimped

Stainless steel wire, acid resistant, straight wire

Polyamide bristles

-  Superior Quality
-  Durable Wear-resistant




Technical Data

DISCRIPTION	ITEM NO	MEAS (cm)	QTY(pc)
MINI WHEEL BRUSHES WITH SHANK	6003-A	31X24X21.5	1200
MINI CUP BRUSHES WITH SHANK	6003-B	31X24X21.5	2400
MINIEND BRUSHES	6003-C	31X24X21.5	2400

CIRCULAR BRUSHES WITH SHANK

-  Superior Quality
-  Durable Wear-resistant




Technical Data

ITEM NO	D (mm)	T (mm)	A (mm)	Max. (obr./min)
9922110	Φ110	25	25	1850
9922120	Φ120	25	25	1850

NYLON END BRUSHES

Brushes with abrasive nylon
Alternatively to wire filled brushes
Very suitable for deburring highly profiled parts without damaging component surface

- Superior Quality
- Durable Wear-resistant



Technical Data

ITEM NO	D (mm)	W (mm)	T (mm)	MEAS (cm)	QTY (pc)	RPM
6612	Φ12	1/4"/6mm	20	39x29x26	300	18000
6613	Φ17	1/4"/6mm	22	39x29x26	300	18000
6615	Φ25	1/4"/6mm	25	39x29x26	200	18000

NYLON CUP BRUSHES WITH SHANK

- Superior Quality
- Durable Wear-resistant




Technical Data

ITEM NO	D (mm)	W (mm)	MEAS (cm)	QTY (pc)	RPM
6601	Φ50	1/4"/6mm	40x33x42	180	4500
6602	Φ65	1/4"/6mm	53x33x39	120	4500
6603	Φ75	1/4"/6mm	53x33x39	120	4500
6604	Φ85	1/4"/6mm	41x31x52	60	4500

NYLON FLAP WHEEL BRUSHES WITH SHANK

Reduces risk of wood scoring
Brushes will not rust
Spark-free action for safer use
Moderate and heavy surface rust, corrosion, oxidation, burrs and old paint from metals and wood
Unfinished tiles and stone

- Superior Quality
- Durable Wear-resistant



Technical Data

ITEM NO	D (mm)	W (mm)	T (mm)	MEAS (cm)	QTY (pc)	RPM
6660	Φ100	1/4"/6mm	120	38x31x40	120	3500

NYLON WHEEL BRUSHES WITH SHANK

- Superior Quality
- Durable Wear-resistant



Technical Data

ITEM NO	D (mm)	W (mm)	MEAS (cm)	QTY (pc)	RPM
6640	Φ40	1/4"/6mm	40x30x34	216	4500
6650	Φ50	1/4"/6mm	40x33x34	216	4500
6665	Φ65	1/4"/6mm	33x30x30	120	4500
6675	Φ75	1/4"/6mm	33x30x30	120	4500
66100	Φ100	1/4"/6mm	41x31x52	120	4500

NYLON WHEEL BRUSHES WITH HOLE

-  Superior Quality
-  Durable Wear-resistant



Technical Data

ITEM NO	D (mm)	W (mm)	T (mm)	MEAS (cm)	QTY (pc)	RPM
6608	Φ75	13-16mm	15	34x33x48	300	4500
6609	Φ100	13-16mm	23	42x31x40	150	4500
6610	Φ125	13-16mm	28	47x27x31	80	4500
6611	Φ150	13-16mm	33	41x24x25	36	4500

NYLON CUP BRUSHES

-  Superior Quality
-  Durable Wear-resistant




Technical Data

ITEM NO	D (mm)	T (mm)	B (mm)	MEAS (cm)	QTY (pc)	RPM
6616	Φ65	24	M10x1.25/M10x1.5/M14x2/Φ16	52x34x21.5	60	12500
6617	Φ75	27	M10x1.25/M10x1.5/M14x2/Φ16	52x34x21.5	60	12500
6618	Φ85	27	M10x1.25/M10x1.5/M14X2/M16X2/5/8"-11NC	52x34x21.5	60	8500
6619	Φ100	30	M14X2/M16X2/5/8"-11NC	55*23*32.5	40	8500
6620	Φ125	32	M14X2/M16X2/5/8"-11NC	56*28*29.5	24	6500
6621	Φ150	33	M14X2/M16X2/5/8"-11NC	56*28*29.5	24	4500

KNIFE BRUSHES

-  Superior Quality
-  Durable Wear-resistant



Technical Data


ITEM NO	L (mm)	A (mm)	B (mm)	T (mm)	FILL	MEAS (cm)	QTY (pc)
99903-A	Φ240/265	135	100/110	23	0.30	34x28x40.5	120
99903-B	Φ240/265	135	100/110	23	0.30	34x28x40.5	180
99903-C	Φ260	135	100	25	0.30	34x28x40.5	120
99903-D	Φ380	135	100	23	0.30	41x33x38	120
99903-E	Φ240	135	100	23	0.30	34x28x40.5	120

Multipurpose Hand Brush For General Cleaning Purpose

MINI KNIFE BRUSHES

-  Superior Quality
-  Durable Wear-resistant

ITEM NO	WIRE MATERIAL
6007-A-S	steel wire
6007-A-SS	stainless wire
6007-A-BS	brass wire
6007-A-PS	PVC
6007-B-S	steel wire
6007-B-SS	stainless wire
6007-B-BS	brass wire
6007-B-PS	PVC



Technical Data

ITEM NO	L (mm)	A (mm)	T (mm)	FILL	TYPE	MEAS (cm)	QTY (pc)
6007-A	210	65	15	0.30	0.20	48x27x33	500
6007-B	230	85	15	0.30	0.20	50x27x33	500

3PC BRUSH SET



Technical Data

99925	1	CUP BRUSH	50mm	24	52x34x41.5
	1	WHEEL BRUSH	65mm		
	1	KNIFE BRUSH			

5PC BRUSH SET



Technical Data

99926	1	WHEEL BRUSHES	25mm	32	54x32x39.5
	1	WHEEL BRUSHES	38mm		
	1	WHEEL BRUSHES	50mm		
	1	WHEEL BRUSHES	63mm		
	1	WHEEL BRUSHES	75mm		
	3	DRIVE ARBORS			

2PC BRUSH SET



Technical Data

99929	1	CUP BRUSH	75mm	36	53x30x46.5
	1	WHEEL BRUSH	100mm		

6PC BRUSH SET



Technical Data

99930	1	CUP BRUSH	50mm	36	56x27x39.5
	2	WHEEL BRUSHES	38mm		
	1	WHEEL BRUSHES	50mm		
	1	WHEEL BRUSHES	63mm		
	1	WHEEL BRUSHES	75mm		

3PC BRUSH SET



Technical Data

99927	1	WHEEL BRUSHES	25mm	60	39x36x42
	1	WHEEL BRUSHES	38mm		
	1	WHEEL BRUSHES	50mm		
	2	DRIVE ARBORS			

3PC BRUSH SET



Technical Data

99928	1	WHEEL BRUSHES	50mm	60	39x36x42
	1	WHEEL BRUSHES	63mm		
	1	WHEEL BRUSHES	75mm		
	2	DRIVE ARBORS			

3PC BRUSH SET



Technical Data

99931	1	CUP BRUSH	50mm	60	39x36x42
	1	WHEEL BRUSHES	50mm		
	1	END BRUSH	25mm		

5PC BRUSH SET



Technical Data

99932	1	CUP BRUSH	50mm	80	47x32x33.5
	1	CUP BRUSH	75mm		
	1	WHEEL BRUSHES	50mm		
	1	WHEEL BRUSHES	75mm		
	1	END BRUSH	25mm		

METAL BATTERY BRUSHES

Stainless steel brushes
Top brush cleans battery terminals
Bottom brush cleans battery post
Zincplated housing

- Superior Quality
- Durable Wear-resistant



Technical Data

ITEM NO	D(mm)	L(mm)	MEAS (cm)	QTY (pc)
99902	Φ38	80	39x39x37	400

CUP TUBE BRUSH

Removing particles clogging teeth of file
Keep your files free of debris for a long life and better cutting

- Superior Quality
- Durable Wear-resistant



Technical Data

ITEM NO	SIZE	MEAS (cm)	QTY (pc)
99906-A	1/2"	30.5X19X36	288
99906-B	3/4"	34x21.5x42.5	288
99906-C	1"	36.5x24x42.5	288

PLASTIC BATTERY BRUSHES

- Superior Quality
- Durable Wear-resistant



Technical Data

ITEM NO	D(mm)	L(mm)	MEAS (cm)	QTY (pc)
99901-A	Φ42	66	54x32x36	300
99901-B	Φ37	120	20x31x28	240
99901-C	Φ38	80	39x39x37	400
99901-D	Φ43	88	39x39x37	400
99901-E	Φ39	95	39x39x37	400

FOUR IN ONE TUBE BRUSH

- Superior Quality
- Durable Wear-resistant



Technical Data

ITEM NO	L(mm)	MEAS (cm)	QTY (pc)
99905	200	57x30x24	80

FILE CLEANER WITH WOODEN HANDLE

-  Superior Quality
-  Durable Wear-resistant



Technical Data

ITEM NO	L	SIZE	MEAS (cm)	QTY (pc)
99904-4	130	50x25	31x16.5x13	200
99904-5	220	100x40	42x23x36	200
99904-6	220	100x50	42x23x36	200

FILE CLEANER WITH PLASTIC HANDLE

-  Superior Quality
-  Durable Wear-resistant



Technical Data

ITEM NO	L(mm)	SIZE	MEAS (cm)	QTY (pc)
99904-1	152	50x25	31x16.5x13	200
99904-2	188	85x50	39x27x29	200
99904-3	230	115x50	42x24.5x23.5	120

TUBE BRUSHES LOOP HANDLE

The applications include ships,sugar factories and general threaded holes
Removal of rust, residues and adherence inside tubes and holes

-  Superior Quality
-  Durable Wear-resistant



Technical Data

ITEM NO	D	L	FILL TYPE	MEAS (cm)	QTY (pc)
9008-A	Φ9.5	400	0.15	57x19x22	1000
9008-B	Φ13	400	0.15	57x19x22	1000
9008-C	Φ16	400	0.15	57x19x22	500
9008-D	Φ19	400	0.20	57x19x22	500
9008-E	Φ25	400	0.20	37x35x31	480
9008-F	Φ38	400	0.20	37x35x31	350
9008-G	Φ45	300	0.20/0.22	61x46x47	288
9008-H	Φ50	300	0.20/0.22	61X46X47	288
9008-I	A:30mm / T:15mm	180	0.30/0.20	48x27x33	500

PIPE BRUSHES WITH HEX-SHANK

-  Superior Quality
-  Durable Wear-resistant



ITEM NO	D(mm)	L(mm)	MEAS (cm)	QTY (pc)
99907-A	Φ8	100	28x14.5x33	480
99907-B	Φ10	100	28x14.5x33	480
99907-C	Φ13	100	38x28.5x20.5	360
99907-D	Φ16	100	38x28.5x20.5	360
99907-E	Φ19	100	28.5x27.5x34	300

PIPE BRUSHES WITH THREAD

-  Superior Quality
-  Durable Wear-resistant



ITEM NO	D	ARBOR HOLE	MEAS (cm)	QTY (pc)
99908-A	Φ13	1/4"/6mm	57x15x9.5	1000
99908-B	Φ16	1/4"/6mm	57x15x9.5	1000
99908-C	Φ19	1/4"/6mm	57x15x9.5	500
99908-D	Φ25	1/4"/6mm	50x31x35	600
99908-E	Φ32	1/4"/6mm	37x35x31	350
99908-F	Φ40	1/4"/6mm	47.5x45x33	250
99908-G	Φ50	1/4"/6mm	47.5x45x34	200
99908-H	Φ63	1/4"/6mm	46.5x35x41	192
99908-I	Φ75	1/4"/6mm	46.5x35x41	192
99908-J	Φ100	1/4"/6mm	46x46x41	144

TUBE BRUSH WITH PLASTIC HANDLE

Great for cleaning copper pipe before soldering and for cleaning battery terminals

-  Superior Quality
-  Durable Wear-resistant



Technical Data

ITEM NO	D	A	L	FILL	MEAS (cm)	QTY (pc)
9009-A	Φ13	25	160	0.15	38x37x28	400
9009-B	Φ16	25	160	0.15	38x37x28	400
9009-C	Φ19	28	160	0.20	32.5x21.5x32.5	288
9009-D	Φ23	32	160	0.20	32.5x21.5x32.5	288
9009-E	Φ26	32	160	0.25	35x33x39	288
9009-F	Φ29	32	160	0.25	35x33x39	288
9009-G	Φ33	35	160	0.25	35x33x39	288
9009-H	Φ42	38	160	0.25	49x35x46	216
9009-I	Φ50	38	160	0.25	49x35x46	216
9009-J	Φ56	51	160	0.25	49x39.5x51.5	216
9009-K	Φ25	16	265	0.33	38x36x41.5	48

SCRATCH BRUSH WITH WOODEN BLOCK HANDLE

Removal of rust, corrosion, paint and primer and generally to produce clean surface

-  Superior Quality
-  Durable Wear-resistant



Technical Data			
ITEM NO	ROW	MEAS (cm)	QTY (pc)
M2002	2	43x31x30	120
M2003	3	43x31x30	120
M2004	4	43x31x37	120
M2005	5	43x31x40	120
M2006	6	43x40x43	120

SCRATCH BRUSH WITH PLASTIC HANDLE

-  Superior Quality
-  Durable Wear-resistant



Technical Data			
ITEM NO	ROW	MEAS (cm)	QTY (pc)
S005-3	3	43x31x30	120
S005-4	4	43x31x37	120
S005-5	5	43x31x40	120
S005-6	6	43x31x43	120

SCRATCH BRUSH WITH WOODEN BLOCK HANDLE

-  Superior Quality
-  Durable Wear-resistant



Technical Data			
ITEM NO	ROW	MEAS (cm)	QTY (pc)
W0416	4x16	51x28x39	144
W0416C	4x16SC	54x29x39	120
W0417	4x17	51x28x39	144
W0417C	4x17SC	54x29x39	120
W0411	4x11	53x28x39	144
W0411C	4x11SC	56x29x39	120

SCRATCH BRUSH WITH WOODEN BLOCK HANDLE

-  Superior Quality
-  Durable Wear-resistant



Technical Data

ITEM NO	ROW	MEAS (cm)	QTY (pc)
W0319	3X19	48x38x30	120
W0319C	3X19SC	53x40x32	120
W0419	4X19	48x38x32	120
W0419C	4X19SC	50x40x34	120

PLASTIC HANDLE BRUSH

-  Superior Quality
-  Durable Wear-resistant



Technical Data

ITEM NO	L(inch)	ROW	MEAS (cm)	QTY (pc)
S063	13"	3x19	38x34x40	120
S064	13"	4x19	38x34x50	120
S063C	13"	3x19	40x36x42	120
S064C	13"	4x19	40x36x54	120

PLASTIC HANDLE BRUSH

-  Superior Quality
-  Durable Wear-resistant



ITEM NO	ROW	MEAS (cm)	QTY (pc)
S053	3X16	46x28x29	120
S054	4X16	46x28x33	120
S055	5X16	46x28x38	120
S056	6X16	46x28x43	120
S053C	3X16SC	51x29x32	120
S054C	4X16SC	51x29x36	120
S055C	5X16SC	51x29x41	120
S056C	6X16SC	51x29x46	120



ITEM NO	ROW	MEAS (cm)	QTY (pc)
SM008	8"PLASTIC	53x34x23	120
SM012	12"PLASTIC	41x33x35	72
SM014	14"PLASTIC	49x45x40	120
SS012	12"WOOD	42x30x29	22
SS018	18"WOOD	54x27x19	48

PLASTIC HANDLE BRUSH

-  Superior Quality
-  Durable Wear-resistant



ITEM NO	ROW	MEAS (cm)	QTY (pc)
S012	4x18	52.5x36.5x29.5	48

PLASTIC HANDLE BRUSH

-  Superior Quality
-  Durable Wear-resistant



Technical Data

ITEM NO	ROW	MEAS (cm)	QTY (pc)
M014	4x16	51x28x39	144
M014C	4x16SC	54x29x39	120

3-PC BRUSH WITH PLASTIC HANDLE

-  Durable Wear-resistant
-  Superior Quality



Technical Data

ITEM NO	L(inch)	ROW	MEAS (cm)	QTY (pc)
1001	7"	3x7	53x34x25.5	96
1002	9"	3x11	62x35x49.5	72

SCRATCH BRUSH WITH WOODEN BLOCK HANDLE

-  Superior Quality
-  Durable Wear-resistant



Technical Data

ITEM NO	ROW	MEAS (cm)	QTY (pc)
W0307A	3X7	38x30x20	240
W0417B	4X17	46x28x25	240
W0520B	5X20	46x28x28	240
W0615C	6X15	52x26x30	240



SH-1007-A	3*10row double color plastic handle brush
SH-1008-B	3*7row double color plastic handle brush



SH-S015-A	4*18row double color plastic handle brush
SH-S016-B	5*31row double color plastic handle brush



SH-S017-A	6*19row double color plastic handle brush
SH-S018-B	5*17row double color plastic handle brush



SH-S058-A	3*19row double color plastic handle brush
SH-S059-B	4*16row double color plastic handle brush



SH-S060-A	4*16row double color plastic handle brush
SH-S061-B	3*18row double color plastic handle brush
SH-1005-C	4*11row double color plastic handle brush



SH-1006-A	4*12row double color plastic handle brush
SH-S062-B	4*16row double color plastic handle brush
SH-SC001-C	5*10row double color plastic handle brush

CHIMNEY CLEANING

How to measure:

Prior to actual cleaning it is important that the brush is correctly sized so that bristles are in direct contact with the sides of the flue at all times (see illustrations) .
Masonry chimney: Measure the inside of the tile in the centre of both sides to nearest 1/4".
Pre-Fab Chimney: Measure along the centre axis in two direction of the extreme inside section where the brush would go.

Tools:


Chimney brush (properly fitted to your chimney) .Drop cloth and tape
Small broom, bucket, small shovel.Scratch or wire bench brush.
Fibreglass extension rod kit or brushloop and non-organic line.

Methods of Cleaning:


The flexible fibreglass rods can be used for bottom-up cleaning through fireplace opening, thimble or clean-out door in chimney.They can also be used for top-down cleaning.
Line and loop method requires brush, loop and lines with 2 people.Line and weight method requires brush line, weight.



(1.Top down)



(2.Bottom up)




(Pre-fab)




(3.Line and Weight)



(3.Line and Pull Ring)



Pull Ring
Methods (3) and (4)
require a pull ring and
rope)



Methods (1) and (2)



SQUARE CHIMNEY SWEEP WIRE BRUSHES



Superior
Quality



Durable
Wear-resistant



ITEM NO	SIZE	H (mm)	L (cm)	T (cm)
16506	6"x6"	5.5"	9 1/4"	1/4"
16507	7"x7"	5.5"	9 1/4"	1/4"
16508	8"x8"	5.5"	9 1/4"	1/4"
16509	9"x9"	5.5"	9 1/4"	1/4"
16510	10"x10"	5.5"	9 1/4"	1/4"
16511	11"x11"	5.5"	9 1/4"	1/4"
16512	12"x12"	5.5"	9 1/4"	1/4"
PC-66	6"x6"	7"	10"	3/8"
PC-77	7"x7"	7"	10"	3/8"
PC-88	8"x8"	7"	10"	3/8"
PC-99	9"x9"	7"	10"	3/8"
PC-1010	10"x10"	7"	10"	3/8"
PC-1111	11"x11"	7"	10"	3/8"
PC-1212	12"x12"	7"	10"	3/8"


ROUND CHIMNEY SWEEP WIRE BRUSHES



Superior
Quality



Durable
Wear-resistant



ITEM NO	SIZE	H (mm)	L (cm)	T (cm)
16406	6"	5.5"	9 1/4"	1/4"
16407	7"	5.5"	9 1/4"	1/4"
16408	8"	5.5"	9 1/4"	1/4"
16409	9"	5.5"	9 1/4"	1/4"
16410	10"	5.5"	9 1/4"	1/4"
16411	11"	5.5"	9 1/4"	1/4"
16412	12"	5.5"	9 1/4"	1/4"
PC-6	6"	7"	10"	3/8"
PC-7	7"	7"	10"	3/8"
PC-8	8"	7"	10"	3/8"
PC-9	9"	7"	10"	3/8"
PC-10	10"	7"	10"	3/8"

RECTANGLE CHIMNEY SWEEP WIRE BRUSHES

-  Superior Quality
-  Durable Wear-resistant



ITEM NO	SIZE	H (mm)	L (cm)	T (cm)
36531	6"x10"	5.5"	9 1/4"	1/4"
36532	7"x11"	5.5"	9 1/4"	1/4"
36533	8"x12"	5.5"	9 1/4"	1/4"
36536	9"x13"	5.5"	9 1/4"	1/4"
36537	12"x16"	5.5"	9 1/4"	1/4"
PC-610	6"x10"	7"	10"	3/8"
PC-711	7"x11"	7"	10"	3/8"
PC-812	8"x12"	7"	10"	3/8"
PC-913	9"x13"	7"	10"	3/8"
PC-1216	12"x16"	7"	10"	3/8"

DOUBLE SPIRAL MASTER SWEEP WIRE BRUSHES

-  Superior Quality
-  Durable Wear-resistant



ITEM NO	SIZE	H (mm)	L (cm)	T (cm)
MS-5	5"	7"	10"	3/8"
MS-6	6"	7"	10"	3/8"
MS-7	7"	7"	10"	3/8"
MS-8	8"	7"	10"	3/8"
MS-9	9"	7"	10"	3/8"
MS-10	10"	7"	10"	3/8"
MS-11	11"	7"	10"	3/8"
MS-12	12"	7"	10"	3/8"
MS-13	13"	7"	10"	3/8"
MS-14	14"	7"	10"	3/8"
MS-1111	11"x11"	7"	10"	3/8"
MS-1212	12"x12"	7"	10"	3/8"
MS-1414	14"x14"	7"	10"	3/8"
MS-610	6"x10"	7"	10"	3/8"
MS-711	7"x11"	7"	10"	3/8"
MS-812	8"x12"	7"	10"	3/8"
MS-913	9"x13"	7"	10"	3/8"
MS-1216	12"x16"	7"	10"	3/8"

0.075" POLY PROFESSIONAL'S CHOICE CHIMNEY BRUSH

-  Superior Quality
-  Durable Wear-resistant



ITEM NO	SIZE	H (mm)	L (cm)	T (cm)
16905	5"	5.5"	9 1/4"	1/4"
16906	6"	5.5"	9 1/4"	1/4"
16907	7"	5.5"	9 1/4"	1/4"
16908	8"	5.5"	9 1/4"	1/4"
16909	9"	5.5"	9 1/4"	1/4"
16910	10"	5.5"	9 1/4"	1/4"
PB-5	5"	7"	10"	3/8"
PB-6	6"	7"	10"	3/8"
PB-7	7"	7"	10"	3/8"
PB-8	8"	7"	10"	3/8"
PB-9	9"	7"	10"	3/8"
PB-10	10"	7"	10"	3/8"

0.050" POLY PROFESSIONAL'S CHOICE CHIMNEY BRUSH


-  Superior Quality
-  Durable Wear-resistant



ITEM NO	SIZE	H (mm)	L (mm)	T (mm)
PB-6P50	6"	7"	10"	3/8"
PB-7P50	7"	7"	10"	3/8"
PB-8P50	8"	7"	10"	3/8"
PB-9P50	9"	7"	10"	3/8"
PB-10P50	10"	7"	10"	3/8"
PBX-12	12"	5.5"	9 1/4"	1/4"
PBX-16	16"	5.5"	9 1/4"	1/4"
PBX-24	24"	5.5"	9 1/4"	1/4"

ROUND FLAT WIRE MASTER SWEEP BRUSH

-  Superior Quality
-  Durable Wear-resistant



Technical Data

ITEM NO	SIZE	H (mm)	L (mm)	T (mm)
MSF-6	6"	7"	10"	3/8"
MSF-7	7"	7"	10"	3/8"
MSF-8	8"	7"	10"	3/8"
MSF-9	9"	7"	10"	3/8"

MINI ROUND FLAT WIRE SWEEP BRUSH

-  Superior Quality
-  Durable Wear-resistant



Technical Data

ITEM NO	SIZE	H (mm)	L (mm)	T (mm)
MMSF-3	3-3/20"	1/10"	3"	1/4"
MMSF-4	4"	1"	5"	1/4"
MMSF-5	5"	1"	5"	1/4"

SQUARE & RECTANGLE FLAT WIRE MASTER SWEEP BRUSH

MasterSweep Wire brushes are made for top-down sweeping from the roof. They won't spring back to their original shape if they are jammed past a damper frame. Use with TSR for removing third stage creosote. The same spindle construction as the round wire. 3/8" thread fitting.

-  Superior Quality
-  Durable Wear-resistant



Technical Data

ITEM NO	SIZE	H (mm)	L (mm)	T (mm)
MSF-77	7x7"	7"	10"	3/8"
MSF-88	8x8"	7"	10"	3/8"
MSF-99	9x9"	7"	10"	3/8"
MSF-1010	10x10"	7"	10"	3/8"
MSF-1212	12x12"	7"	10"	3/8"
MSF-610	6x10"	7"	10"	3/8"
MSF-711	7x11"	7"	10"	3/8"
MSF-812	8x12"	7"	10"	3/8"
MSF-913	9x13"	7"	10"	3/8"
MSF-1216	12x16"	7"	10"	3/8"

PELLET STOVE BRUSHES

These brushes are made with quality nylon bristles and are available in 3,4, and 5 inch round sizes.Heavy duty ball tip guides brushes through narrow offsets and bends.Use 25P-5 rods or PSR-20 rod kit. Fitting is 1/4"-20thread.

-  Superior Quality
-  Durable Wear-resistant



Technical Data

ITEM NO	SIZE	H (mm)	L (mm)	T (mm)
PS-3	3"	41.5	110	1/4"-20
PS-4	4"	41.5	110	1/4"-20
PS-5	5"	41.5	110	1/4"-20

DRYER VENTS

These brushes are designed to clean both pellet stoves vents and dryer vents. The brushes are designed to navigate a sharp turning radius without getting caught in elbows. Brush filament is 0.020" poly.

-  Superior Quality
-  Durable Wear-resistant




Technical Data

ITEM NO	SIZE	L (mm)
17409	3"	10"
17419	3"	20"
17410	4"	10"
17420	4"	20"

CHIMNEY BRUSH -ROUND PP


-  Superior Quality
-  Durable Wear-resistant



ITEM NO	DESCRIPTION	SIZE	H (mm)	L (mm)	T (mm)
CBRP150-2	150mm PP round chimney brush,size of PP is 2.5mm, M12 connector, 2 layers	150	140	50	M12
CBRP150-3	150mm PP round chimney brush,size of PP is 2.5mm, M12 connector, 3 layers	150	170	80	M12
CBRP180-2	180mm PP round chimney brush,size of PP is 2.5mm, M12 connector, 2 layers	180	140	50	M12
CBRP180-3	180mm PP round chimney brush,size of PP is 2.5mm, M12 connector, 3 layers	180	170	80	M12
CBRP200-2	200mm PP round chimney brush,size of PP is 2.5mm, M12 connector, 2 layers	200	140	50	M12
CBRP200-3	200mm PP round chimney brush,size of PP is 2.5mm, M12 connector, 3 layers	200	170	80	M12
CBRP250-2	250mm PP round chimney brush,size of PP is 2.5mm, M12 connector, 2 layers	250	140	50	M12
CBRP250-3	250mm PP round chimney brush,size of PP is 2.5mm, M12 connector, 3 layers	250	170	80	M12
CBRP300-2	300mm PP round chimney brush,size of PP is 2.5mm, M12 connector, 2 layers	300	140	50	M12
CBRP300-3	300mm PP round chimney brush,size of PP is 2.5mm, M12 connector, 3 layers	300	170	80	M12
CBRP350-2	350mm PP round chimney brush,size of PP is 2.5mm, M12 connector, 2 layers	350	140	50	M12
CBRP350-3	350mm PP round chimney brush,size of PP is 2.5mm, M12 connector, 3 layers	350	170	80	M12

CHIMNEY BRUSH -ROUND FLAP STEEL WIRE



-  Superior Quality
-  Durable Wear-resistant



ITEM NO	DESCRIPTION	SIZE	H (mm)	L (mm)	T(mm)
CBRFS150-2	150mm flap steel wire round chimney brush, size of flap steel is 2.5x0.5mm,M12 connector, 2 layers	150	140	45	M12
CBRFS150-3	150mm flap steel wire round chimney brush, size of flap steel is 2.5x0.5mm,M12 connector, 3 layers	150	170	70	M12
CBRFS200-2	200mm flap steel wire round chimney brush, size of flap steel is 2.5x0.5mm,M12 connector, 2 layers	200	140	45	M12
CBRFS200-3	200mm flap steel wire round chimney brush, size of flap steel is 2.5x0.5mm,M12 connector, 3 layers	200	170	70	M12
CBRFS300-2	300mm flap steel wire round chimney brush, size of flap steel is 2.5x0.5mm,M12 connector, 2 layers	300	140	45	M12
CBRFS300-3	300mm flap steel wire round chimney brush, size of flap steel is 2.5x0.5mm,M12 connector, 3 layers	300	170	70	M12
CBRFS350-2	350mm flap steel wire round chimney brush, size of flap steel is 2.5x0.5mm,M12 connector, 2 layers	350	140	45	M12
CBRFS350-3	350mm flap steel wire round chimney brush, size of flap steel is 2.5x0.5mm,M12 connector, 3 layers	350	170	70	M12
CBRFS400-2	400mm flap steel wire round chimney brush, size of flap steel is 2.5x0.5mm,M12 connector, 2 layers	400	140	45	M12
CBRFS400-3	400mm flap steel wire round chimney brush, size of flap steel is 2.5x0.5mm,M12 connector, 3 layers	400	170	70	M12
CBRFS500-2	500mm flap steel wire round chimney brush, size of flap steel is 2.5x0.5mm,M12 connector, 2 layers	500	140	45	M12
CBRFS500-3	500mm flap steel wire round chimney brush, size of flap steel is 2.5x0.5mm,M12 connector, 3 layers	500	170	70	M12

CHIMNEY BRUSH -SQUARE FLAP STEEL WIRE



-  Superior Quality
-  Durable Wear-resistant



ITEM NO	DESCRIPTION	SIZE	H (mm)	L (mm)	T (mm)
CBSFS 200-2	200x200mm flap steel wire square chimney brush,size of flap steel is 2.5x0.5mm,M12 connector,2 layers	200x200	140	45	M12
CBSFS 200-3	200x200mm flap steel wire square chimney brush,size of flap steel is 2.5x0.5mm,M12 connector,3 layers	200x200	170	70	M12
CBSFS 250-2	250x250mm flap steel wire square chimney brush,size of flap steel is 2.5x0.5mm,M12 connector,2 layers	250x250	140	45	M12
CBSFS 250-3	250x250mm flap steel wire square chimney brush,size of flap steel is 2.5x0.5mm,M12 connector,3 layers	250x250	170	70	M12
CBSFS 300-2	300x300mm flap steel wire square chimney brush,size of flap steel is 2.5x0.5mm,M12 connector,2 layers	300x300	140	45	M12
CBSFS 300-3	300x300mm flap steel wire square chimney brush,size of flap steel is 2.5x0.5mm,M12 connector,3 layers	300x300	170	70	M12

CHIMNEY BRUSH -RECTANGLE FLAP STEEL WIRE


-  Superior Quality
-  Durable Wear-resistant



ITEM NO	DESCRIPTION	SIZE	H (mm)	L (mm)	T (mm)
CBSFS 200X150-2	200x150mm flap steel wire rectangle chimney brush,size of flap steel is 2.5x0.5mm, M12 connector, 2 layers	200x150	140	45	M12
CBSFS 200X150-3	200x150mm flap steel wire rectangle chimney brush,size of flap steel is 2.5x0.5mm, M12 connector, 3 layers	200x150	170	70	M12
CBSFS 250X200-2	250x200mm flap steel wire rectangle chimney brush,size of flap steel is 2.5x0.5mm, M12 connector, 2 layers	250x200	140	45	M12
CBSFS 250X200-3	250x200mm flap steel wire rectangle chimney brush,size of flap steel is 2.5x0.5mm, M12 connector, 3 layers	250x200	170	70	M12
CBSFS 300X250-2	300x250mm flap steel wire rectangle chimney brush,size of flap steel is 2.5x0.5mm, M12 connector, 2 layers	300x250	140	45	M12
CBSFS 300X250-3	300x250mm flap steel wire rectangle chimney brush,size of flap steel is 2.5x0.5mm, M12 connector, 3 layers	300x250	170	70	M12
CBSFS 350X200-2	350x200mm flap steel wire rectangle chimney brush,size of flap steel is 2.5x0.5mm, M12 connector, 2 layers	350x200	140	45	M12
CBSFS 350X200-3	350x200mm flap steel wire rectangle chimney brush,size of flap steel is 2.5x0.5mm, M12 connector, 3 layers	350x200	170	70	M12
CBSFS 400X200-2	400x200mm flap steel wire rectangle chimney brush,size of flap steel is 2.5x0.5mm, M12 connector, 2 layers	400x200	140	45	M12
CBSFS 400X200-3	400x200mm flap steel wire rectangle chimney brush,size of flap steel is 2.5x0.5mm, M12 connector, 3 layers	400x200	170	70	M12
CBSFS 400X250-2	400x250mm flap steel wire rectangle chimney brush,size of flap steel is 2.5x0.5mm, M12 connector, 2 layers	400x250	140	45	M12
CBSFS 400X250-3	400x250mm flap steel wire rectangle chimney brush,size of flap steel is 2.5x0.5mm, M12 connector, 3 layers	400x250	170	70	M12
CBSFS 500X300-2	500x300mm flap steel wire rectangle chimney brush,size of flap steel is 2.5x0.5mm, M12 connector, 2 layers	500x300	140	45	M12
CBSFS 500X300-3	500x300mm flap steel wire rectangle chimney brush,size of flap steel is 2.5x0.5mm, M12 connector, 3 layers	500x300	170	70	M12

CHIMNEY BRUSH-ROUND BLACK CARBON STEEL WIRE


-  Superior Quality
-  Durable Wear-resistant



ITEM NO	DESCRIPTION	SIZE	H (mm)	L (mm)	T (mm)
CBRBS025	25mm steel wire round chimney brush, M12	25	160	100	M12
CBRBS040	40mm steel wire round chimney brush, M12	40	160	100	M12
CBRBS050	50mm steel wire round chimney brush, M12	50	160	100	M12
CBRBS060	60mm steel wire round chimney brush, M12	60	160	100	M12
CBRBS070	70mm steel wire round chimney brush, M12	70	160	100	M12
CBRBS080	80mm steel wire round chimney brush, M12	80	160	100	M12
CBRBS090	90mm steel wire round chimney brush, M12	90	160	100	M12
CBRBS100	100mm steel wire round chimney brush, M12	100	160	100	M12
CBRBS120	120mm steel wire round chimney brush, M12	120	160	100	M12
CBRBS130	130mm steel wire round chimney brush, M12	130	160	100	M12
CBRBS150	150mm steel wire round chimney brush, M12	150	160	100	M12
CBRBS160	160mm steel wire round chimney brush, M12	160	160	100	M12
CBRBS180	180mm steel wire round chimney brush, M12	180	160	100	M12
CBRBS200	200mm steel wire round chimney brush, M12	200	160	100	M12

CHIMNEY BRUSH-RECTANLGE BLACK CARBON STEEL WIRE


-  Superior Quality
-  Durable Wear-resistant



ITEM NO	DESCRIPTION	SIZE	H (mm)	L (mm)	T (mm)
CBSBS40x70	40x70mm steel wire rectangle chimney brush, M12	40x70	160	100	M12
CBSBS40x80	40x80mm steel wire rectangle chimney brush, M12	40x80	160	100	M12
CBSBS40x90	40x90mm steel wire rectangle chimney brush, M12	40x90	160	100	M12
CBSBS40x100	40x100mm steel wire rectangle chimney brush, M12	40x100	160	100	M12
CBSBS40x120	40x120mm steel wire rectangle chimney brush, M12	40x120	160	100	M12
CBSBS50x80	50x80mm steel wire rectangle chimney brush, M12	50x80	160	100	M12
CBSBS50x100	50x100mm steel wire rectangle chimney brush, M12	50x100	160	100	M12
CBSBS60x100	60x100mm steel wire rectangle chimney brush, M12	60x100	160	100	M12
CBSBS90x110	90x110mm steel wire rectangle chimney brush, M12	90x110	160	100	M12

ROD -PP FOR CHIMNEY BRUSH

-  Superior Quality
-  Durable Wear-resistant



Technical Data

ITEM NO	DESCRIPTION	L (mm)	D (mm)	T (mm)
PPR140X17A	PP Chimney brush Rod, Dia. is 17mm, length 1400mm, connector M12	1400	17	M12
PPR60X6B	PP Chimney brush Rod, Dia. is 6mm, length 60mm, connector M8	60	6	M8

ROD -FIBERGLASS FOR CHIMNEY BRUSH

-  Superior Quality
-  Durable Wear-resistant




Technical Data

ITEM NO	DESCRIPTION	L (mm)	D (mm)	T (mm)
FGR100x10	Fiber glass Chimney brush Rod Dia 8.5mm, length 100mm Connector M12\1/4\"3/8"	1000	8.5	M12\1/4\"3/8"
FGR150x8	Fiber glass Chimney brush Rod Dia 8mm, length 150mm Connector M12\1/4\"3/8"	1500	8	M12\1/4\"3/8"

ROD -FIBERGLASS FOR CHIMNEY BRUSH

-  Superior Quality
-  Durable Wear-resistant



ITEM NO	DESCRIPTION	L (mm)	D (mm)
FGR-AC-140x10-A	Fiber glass Chimney brush Rod, Dia. 10mm, length 140mm. Automatic Connector	1400	17
FGR-AC-140x10-B	Fiber glass Chimney brush Rod, Dia. 10mm, length 140mm. Automatic Connector	1400	17
FGR-AC-140x10-C	Fiber glass Chimney brush Rod, Dia. 10mm, length 140mm. Automatic Connector	1400	17

Z SHAPE HANDLE

-  Superior Quality
-  Durable Wear-resistant



SS-ZH-390-A	390mm Z shape handle grenn color,M12/Z shape handle blue color,M12
SS-ZH-390-B	390mm Z shape handle grenn color,M12/Z shape handle blue color,M12

CHIMNEY BRUSH -ROUND WITH 2 M WIRE EXTENSION

-  Superior Quality
-  Durable Wear-resistant



ITEM NO	DESCRIPTION	SIZE	H (mm)	L (mm)
CBWE 160x2000	160mm chimney brush,with 2M wire extension	160	2000	140

TUBE BRUSH WITH HEX-SHANK



SS8085-(6-19)N	6-19mm nylon tube brush
SS8083-(6-19)S	6-19mm stainless Steel tube brush
SS8084-(6-19)B	6-19mm brass tube brush



SS8090-1S	steel brush w/hex, 1.375 diam
SS8090-2S	steel brush w/hex, 1.1875 diam
SS8090-3S	steel brush w/hex, 1.160" diam
SS8090-4S	steel brush w/hex, .990" diam
SS8090-5S	steel skirt rod brush 1.00" diam
SS8090-5S	steel skirt rod brush .750 diam
SS8090-7S	steel skirt rod brush .500" diam

BRUSH HEAD CLEANING KIT



8022M	6*22row wood brush head-medium bristles 1.5M alumimum alloy rod
8023M	6*26row wood brush head-medium bristles 1.5M alumimum alloy rod
8024M	6*28row wood brush head-medium bristles 1.5M alumimum alloy rod

BRUSH HEAD CLEANING KIT



8031	6*16row plastic brush head-soft bristles
8031M	6*16row plastic brush head-soft bristles 1.5M alumimum alloy rod

SKIRT ROD BRUSH WITH HEX-SHANK



SS8090-1B	brass brush w/hex, 1.375 diam
SS8090-2B	brass brush w/hex, 1.1875 diam
SS8090-3B	brass brush w/hex, 1.160" diam
SS8090-4B	brass brush w/hex, .990" diam
SS8090-5B	brass skirt rod brush 1.00" diam
SS8090-6B	brass skirt rod brush .750 diam
SS8090-7B	brass skirt rod brush .500" diam

FLOW-THRU BRUSH



SS8091-1S	Flow-thru brush stainless steel wire
SS8091-1N	Flow-thru brush black nylon wire
SS8091-1B	Flow-thru brush brass steel wire

GUN CLEANING KITS



99982-1	"two brass wire brush, one cotton mop and one bristle brush to fit 357/38 cal./9mm" one cotton mop to fit 20-gauge one bristle brush to fit 10/12 cal 3pcs φ5mm solid steel rods with solid brass adapters and one of them with plastic handle
---------	---

GUN CLEANING KITS



99910-1	solid brass rods for shotguns and rifles/pistals brushes that fit the folloing guns:12-gauge20-gauge,410-gauge,45 cal.40 cal., 357/38 cal .9mm,30 cal., 270 cal.,22 cal., 17 cal plastic slotted ends for shotguns and rifles/ pistols mops to fit 12-gauge,20-gauge,410-gauge 357/38 cal./9mm and 22 cal universal handle adapter for rifle/pistol rods solid brass adapters for shotgun mops/brushes and rifle/pistol brushes and mops cleaning swabs
---------	---

NYLON TUBE BRUSH



SS-BC-80BW-A	80mm white and blue nylon tube brush thickness of wire 0.6mm,M12
SS-BC-80BW-B	
SS-BC-80BW-C	

CLEANING BRUSH KITS




FGEC-H03+80B-A	3M red color(Pantone 1795C)fiberglass rod +80mm white plastic brush with black ball (M12)+T shape black handle(M10)
	5M red color(Pantone 1795C)fiberglass rod +80mm white plastic brush with black ball (M12)+T shape black handle(M10)
FGEC-H03+80B-B	Yellow fiberglass rod 3M+white plastic brush with ball ø80+T shape black handle(M10)
	Yellow fiberglass rod 5M+white plastic brush with ball ø80+T shape black handle(M10)

CLEANING BRUSH KITS



SS-FPK-308	cleaing kit :3M blue color steel rope with handle,2pcs 80mm white and blue tube brush and 1pcs 25mm long tube brush
SS-FPK-508	cleaing kit :5M blue color steel rope with handle,2pcs 80mm white and blue tube brush and 1pcs 25mm long tube brush
SS-FPK-808	cleaing kit :8M blue color steel rope with handle,2pcs 80mm white and blue tube brush and 1pcs 25mm long tube brush

STEEL SPRING CONNECTOR



SS-SC175-A	175mm steel spring connector
SS-SC230-B	230mmsteel spring connector

CLEANING BRUSH KITS



SS10-B-16906	D150mm 0.078"PP Professinoal's Choice Chimeny brush,bristle Height 5.5",total Height 9-1/4" nut 1 pcs black rope (10 meters) mm and ball kit with necessaryfittings to attach to brush .
--------------	---


CHIMNEY CLEAING KIT



- Cleans wood stove and fireplace flues from the bottom up without stepping foot on a ladder
- Spinning chimney whip works with your drill to clean dangerous soot and creosote buildup better than a brush
- Fits multiple flue sizes and shapes
- Spins forward and reverse to clean round, square, rectangular and oval flues
- Professional quality chimney rods are extremely flexible to navigate multiple elbows and feature button-link quick connect system

SS-PPR7510	1pc Chimney Whip 6pcs 3'long flexible chimney rods 1pc drill adapter 1pc hex key 1 pc 52"x48" fireplace stove opening cover
------------	---

CHIMNEY CLEAING KIT



- Cleans wood stove and fireplace flues from the bottom up without stepping foot on a ladder
- Spinning chimney whip works with your drill to clean dangerous soot and creosote buildup better than a brush
- Fits multiple flue sizes and shapes
- Spins forward and reverse to clean round, square, rectangular and oval flues
- Professional quality chimney rods are extremely flexible to navigate multiple elbows and feature button-link quick connect system

SS-PER6010	1pc Chimney Whip 6pcs 2.5'long flexible chimney rods 1pc w/ torque lock fitting 1pc hex key 1 pc 52"x48" fireplace stove opening cover
------------	--